

CHOSEN GENERATION DAYCARE CENTER

2025 N GARNETT STREET
HENDERSON, NC

3 Inspection Visits Since 2025 · 5 Findings · 20% Corrected at Visit

Most recent inspection: Jun 3, 2026

● 5 Important

Across 3 inspections since 2025, the issues cited most often were A Child Care Operator Did Not Notify the Division of Any New Child Care Providers, as Defined in G.S. 110-90.2(a)(2), Who Were Hired or Moved Into the Child... (1), Operator Has Not Scheduled and Obtained a Fire Inspection Within 12 Months of the Previous Inspection. (1), and All Beds,cots, or Mats with Individual Linen Were Not Provided for Each Child. (1). None of the 5 findings were critical.

Inspection Visits

Jun 3, 2026 1 Finding ● 1 Important

- **A Child Care Operator Did Not Notify the Division of Any New Child Care Providers, as Defined in G.S. 110-90.2(a)(2), Who Were Hired or Moved Into the Child...**
care facility within five business days. Five staff members have not been linked into ABCMS Portal. Violation pending provider

Oct 1, 2025 1 Finding ● 1 Important

- **Operator Has Not Scheduled and Obtained a Fire Inspection Within 12 Months of the Previous Inspection.**
Operator did not submit the original approved report to DCDEE within one week of the inspection visit on a form provided by the Division. The posted fire inspection was last complet

Jun 25, 2025 3 Findings ● 3 Important

- **All Beds,cots, or Mats with Individual Linen Were Not Provided for Each Child.**
Child was sleeping in a bed without linen provided in space #1. Violation corrected during visit

Corrected at visit

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

● **Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs...**

unless located behind furniture or equipment that cannot be moved by a child. Two electrical outlets located in kitchen area

● **The Child Care Administrator and All Staff Did Not Complete the Recognizing and Responding to Suspicions of Child Maltreatment Training Within 90 Days Of...**

employment. Staff member L. Higgs training expired on 3/4/2025. It was last completed on 3/4/2020. Violation corrected during vis

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.