

CHILDREN'S CENTER, THE

304 SOUTH STATE STREET
YADKINVILLE, NC

3 Inspection Visits Since 2025 · 5 Findings · 40% Corrected at Visit

Most recent inspection: Jan 20, 2026

● 5 Important

Across 3 inspections since 2025, the issues cited most often were Human Milk, Formula and Other Bottled Beverages Including Sippy Cups, Sent From Child's Home Were Not Fully Prepared, Dated, and Labeled for the Appropriate... (1), Screen Time Was Offered to Children Under Three Years of Age. (1), and Gates to the Fenced Outdoor Play Area Did Not Remain Closed While Children Occupied the Area. (1). None of the 5 findings were critical.

Inspection Visits

Jan 20, 2026 3 Findings ● 3 Important

● **Human Milk, Formula and Other Bottled Beverages Including Sippy Cups, Sent From Child's Home Were Not Fully Prepared, Dated, and Labeled for the Appropriate...**

child. Names and dates were missing from children's water sippy cups. These cups were brought straight to the classroom and not

● **Screen Time Was Offered to Children Under Three Years of Age.**

I observed children 0-2 years of age watching a children's music video on the phone. This was corrected during the visit today. Violation corrected during visit

Corrected at visit

● **Gates to the Fenced Outdoor Play Area Did Not Remain Closed While Children Occupied the Area.**

Today I observed the gate open to the large play area. The director stated this was left open by the maintenance man who gathered leaves over the weekend. This was corrected during the visit

Corrected at visit

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

Jul 15, 2025 1 Finding ● 1 Important

● **Fire Drills Were Not Practiced Monthly And/or the Drill Record Was Incomplete.**

The fire drill were incomplete since they did not list the number of children or adults that were evacuated. Violation confirmed corrected by letter received from provider on 7/24/2025

Jan 23, 2025 1 Finding ● 1 Important

● **All Equipment and Furnishings Were Not in Good Repair.**

The handles on the cabinet doors in Spaces 4 & 5 are missing. Violation confirmed corrected by letter received from provider on 1/24/2025

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.