

COMMUNITY BAPTIST SCHOOLS

509 TRIANGLE RD
REIDSVILLE, NC

3 Inspection Visits Since 2024 · 5 Findings · 40% Corrected at Visit

Most recent inspection: Feb 11, 2026

● 5 Important

Across 3 inspections since 2024, the issues cited most often were Medications Including Prescription and Non-prescription Items Were Not Stored in a Locked Cabinet or Other Locked Container. (2), All Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, Any Product Which Is Under Pressure in an Aerosol Dispenser, and Any Substance... (1), and Staff Did Not Use the List of Participating Children to Check Attendance When Leaving the Center, Periodically When the Children Were Involved in the Activity,... (1). None of the 5 findings were critical.

Inspection Visits

Feb 11, 2026 1 Finding ● 1 Important

- **All Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, Any Product Which Is Under Pressure in an Aerosol Dispenser, and Any Substance...**

which may be hazardous to a child if ingested, inhaled, or handled were not stored in a locked room or cabinet. There was a cont

Feb 24, 2025 2 Findings ● 2 Important

- **Staff Did Not Use the List of Participating Children to Check Attendance When Leaving the Center, Periodically When the Children Were Involved in the Activity,...**

before leaving the activity to return to the center, and/or upon return to the center. During an off premise activity in Octo

- **Medications Including Prescription and Non-prescription Items Were Not Stored in a Locked Cabinet or Other Locked Container.**

In space 5 there was a bottle of Benadryl unlocked in the classroom. Violation corrected during visit

Corrected at visit

Mar 5, 2024 2 Findings ● 2 Important

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

- **All Equipment and Furnishings Were Not in Good Repair.**

The large stationary piece of equipment was not in good repair. The underneath of the structure had sharp edges. The straight red slides were rough and sharp at the bottom sides. The bottom red side climbers was broken and loos

- **Medications Including Prescription and Non-prescription Items Were Not Stored in a Locked Cabinet or Other Locked Container.**

A bottle of children's Motrin in space 5 and a bottle of Benadryl in space 6 were not locked. Violation corrected during visit

Corrected at visit

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.