

VERNER

2586 RICEVILLE RD
ASHEVILLE, NC

1 Inspection Visit Since 2026 - 5 Findings - 20% Corrected at Visit

Most recent inspection: Jan 8, 2026

● 5 Important

Across 1 inspection since 2026, the issues cited most often were Refrigerator(s) Did Not Maintain a Temperature of 45 Degrees F. or Below. (1), Swings Did Not Have Surfacing That Extends Two Times the Length of the Pivot Point to the Surface Below Beyond the External Limits of the Equipment. (1), and Fire Drills Were Not Practiced Monthly And/or the Drill Record Was Incomplete. (1). None of the 5 findings were critical.

Inspection Visits

Jan 8, 2026 5 Findings ● 5 Important

● **Refrigerator(s) Did Not Maintain a Temperature of 45 Degrees F. or Below.**

The kitchen thermometer on the outside of the refrigerator was not working and a thermometer was unable to be located to determine the temperature of the refrigerator. Violation corrected during visit

Corrected at visit

● **Swings Did Not Have Surfacing That Extends Two Times the Length of the Pivot Point to the Surface Below Beyond the External Limits of the Equipment.**

On the infant and toddler playground, two (2) swings were observed hanging from the wooden structure close to the fence. The fall zone

● **Fire Drills Were Not Practiced Monthly And/or the Drill Record Was Incomplete.**

A monthly fire drill for February 2025 was not conducted Violation confirmed corrected by letter received from provider on 1/21/2026

● **A Safe Indoor and Outdoor Environment Was Not Provided for the Children.**

Space #4 (Balsam) Guinea pigs on-site without vaccination record on file for review. Violation confirmed corrected by letter received from provider on 1/21/2026

● **Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs...**

unless located behind furniture or equipment that cannot be moved by a child. Space # 3 (Elm) two (2) electrical outlets were

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.