

RIVERSIDE PRE-KINDERGARTEN

8020 US 19E HWY S
NEWLAND, NC

1 Inspection Visit Since 2026 · 5 Findings · 20% Corrected at Visit

Most recent inspection: Mar 24, 2026

● 5 Important

Across 1 inspection since 2026, the issues cited most often were A Current Activity Plan Was Not Posted for Each Group of Children for Reference. (1), Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs... (1), and All Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, Any Product Which Is Under Pressure in an Aerosol Dispenser, and Any Substance... (1). None of the 5 findings were critical.

Inspection Visits

Mar 24, 2026 5 Findings ● 5 Important

● **A Current Activity Plan Was Not Posted for Each Group of Children for Reference.**

Activity plans posted was dated 2/9/2026-2/13/2026. Violation corrected during visit

Corrected at visit

● **Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs...**

unless located behind furniture or equipment that cannot be moved by a child. Two (2) electrical outlets were observed uncove

● **All Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, Any Product Which Is Under Pressure in an Aerosol Dispenser, and Any Substance...**

which may be hazardous to a child if ingested, inhaled, or handled were not stored in a locked room or cabinet. One (1) bag of eq

● **Monthly Playground Inspections Were Not Completed And/or They Were Not Completed by an Individual Trained in Playground Safety Requirements.**

The last playground inspection was documented on 11/10/2025. A playground inspection was completed during the visit. Violation confirmed corre

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

● **Shelter-in-place or Lockdown Drills Were Not Practiced Every Three Months And/or Drill Record Was Incomplete.**

The last shelter-in-place drill was practiced on 3/6/2026. The previous drill was completed on 10/9/2025. Violation confirmed corrected by letter received from provider on 3

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.