

LIVELY PEBBLES DAY CARE

2341 CHANDLER MILL ROAD
PELHAM, NC

1 Inspection Visit Since 2024 · 5 Findings · 0% Corrected at Visit

Most recent inspection: Jul 17, 2024

● 5 Important

Across 1 inspection since 2024, the issues cited most often were All Stationary Equipment, More Than 18 Inches High, Was Not Installed Over Protective Surfacing. (1), The EMC Plan Was Not Reviewed with All Staff Annually and Whenever the Plan Was Revised. (1), and First Aid Kit And/or Fire Extinguisher Was Not Located in Vehicle; Kit And/or Extinguisher Was Not Mounted or Secured if in Passenger Area. (1). None of the 5 findings were critical.

Inspection Visits

Jul 17, 2024 5 Findings ● 5 Important

- **All Stationary Equipment, More Than 18 Inches High, Was Not Installed Over Protective Surfacing.**
While mulch is present on the playground around the equipment the depth of surfacing does not meet the 6 inches required in rule. Violation confirmed corrected by letter received from pro
- **The EMC Plan Was Not Reviewed with All Staff Annually and Whenever the Plan Was Revised.**
The last documented review of the Emergency Medical Plan was completed May 2023. Violation confirmed corrected by letter received from provider on 7/31/2024
- **First Aid Kit And/or Fire Extinguisher Was Not Located in Vehicle; Kit And/or Extinguisher Was Not Mounted or Secured if in Passenger Area.**
There are two vehicles used for transport. Neither vehicle has a first-aid kit present on the vehicles. I did observe a fire extinguisher on
- **Emergency Information Did Not Name Child's Health Care Professional.**
Documentation of Hospital preference was not documented in two of the children's records. Violation confirmed corrected by letter received from provider on 7/31/2024
- **Children's Records That Include an Application for Enrollment, Medical and Immunization Records, and Permission to Seek Emergency Medical Care Was Not on File...**
for each child. Documentation of medical assessment was not documented in two of the children's records. Violation confirmed

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.