

TOPSAIL MONTESSORI

301 WHITEBRIDGE ROAD
HAMPSTEAD, NC

3 Inspection Visits Since 2023 · 3 Findings · 0% Corrected at Visit

Most recent inspection: Apr 15, 2025

● 3 Important

Across 3 inspections since 2023, the issues cited most often were Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs... (1), A Drug or Medicine Was Administered After Its Expiration Date. (1), and New Staff, Who Had Contact with Children, Did Not Receive at Least 16 Hrs. Orientation Within First 6 Weeks. (1). None of the 3 findings were critical.

Inspection Visits

Apr 15, 2025 1 Finding ● 1 Important

- **Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs...**

unless located behind furniture or equipment that cannot be moved by a child. Two outlets in space 1 and one outlet in space

Apr 23, 2024 1 Finding ● 1 Important

- **A Drug or Medicine Was Administered After Its Expiration Date.**

In space 4, an epi-pen prescribed for use with an enrolled child expired in January 2024. Violation confirmed corrected by letter received from provider on 4/25/2024

Nov 28, 2023 1 Finding ● 1 Important

- **New Staff, Who Had Contact with Children, Did Not Receive at Least 16 Hrs. Orientation Within First 6 Weeks.**

Three new staff members hired on 8/24/23, 9/25/23, and 6/8/23 did not receive at least 16 hours orientation within the first 6 weeks of employment. Violation confirmed correct

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.