

TUTOR TIME STEELE CREEK

13526 ERWIN ROAD
CHARLOTTE, NC

3 Inspection Visits Since 2025 - 5 Findings - 0% Corrected at Visit

Most recent inspection: May 12, 2026

● 5 Important

Across 3 inspections since 2025, the issues cited most often were Parent's Medication Authorization Did Not Include Required Information. (1), Emergency Medical Care Information Was Not on File in the Center on the Child's First Day of Attendance And/or Was Not Updated as Changes Occurred or at Least... (1), and The Professional Development Plan Was Not Reviewed Annually. (1). None of the 5 findings were critical.

Inspection Visits

May 12, 2026 3 Findings ● 3 Important

● **Parent's Medication Authorization Did Not Include Required Information.**

One (1) diaper cream in space four (4) permission to administer had expired. Violation confirmed corrected by letter received from provider on 5/13/2026

● **Emergency Medical Care Information Was Not on File in the Center on the Child's First Day of Attendance And/or Was Not Updated as Changes Occurred or at Least...**

annually for each child. Emergency medical care information was not updated at least annually for seven (7) children. Violation

● **The Professional Development Plan Was Not Reviewed Annually.**

The professional development plan was not reviewed annually for one (1) staff member. Violation confirmed corrected by letter received from provider on 5/13/2026

Feb 10, 2026 1 Finding ● 1 Important

● **Incident Reports Were Not Completed Each Time a Child Was Injured, It Did Not Include All the Information Required in Rule, It Was Not Signed by the Parent...**

and/or it was not maintained in the child's file. An incident report did not include all the information required in rule. Viola

Nov 17, 2025 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

- **Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs...**

unless located behind furniture or equipment that cannot be moved by a child. Three (3) outlets in space five (5) and two (2

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.