

THE NEST SCHOOL

100 Northgate Court
HIGH POINT, NC

3 Inspection Visits Since 2024 · 4 Findings · 0% Corrected at Visit

Most recent inspection: Jul 17, 2025

● 4 Important

Across 3 inspections since 2024, the issues cited most often were All Walls and Ceilings Including Doors and Windows Were Not Kept Clean, Free of Visible Fungal Growth, and in Good Repair. (1), Outdoor Play Area Did Not Provide an Area That Is Shaded. (1), and All Equipment and Furnishings Were Not in Good Repair. (1). None of the 4 findings were critical.

Inspection Visits

Jul 17, 2025 1 Finding ● 1 Important

- **All Walls and Ceilings Including Doors and Windows Were Not Kept Clean, Free of Visible Fungal Growth, and in Good Repair.**

There was discoloration on the bottom baseboard by the entrance and exit of classroom and also discoloration on the bottom baseboard in the bathroom to the right

Jan 8, 2025 2 Findings ● 2 Important

- **Outdoor Play Area Did Not Provide an Area That Is Shaded.**

There wasn't a significant amount of shade provided on the playground that had the mulch on it. Violation confirmed corrected by letter received from provider on 1/26/2025

- **All Equipment and Furnishings Were Not in Good Repair.**

A red picnic table on the middle pavement playground had sharp edges around the top of the table and on the seated area. On middle playground the fence were in poor condition. Violation confirmed corrected by letter received from

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

Apr 22, 2024 1 Finding ● 1 Important

● **Children Were Not Adequately Supervised at All Times.**

A child received several scratches on 4 separate occasions while in the toddler classroom. Supervision was found to not be sufficient to prevent the occurrences. Violation confirmed corrected by follow-up visit made by consultant

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.