

Childcare Network #84

787 Village Road NE
LELAND, NC

2 Inspection Visits Since 2025 · 5 Findings · 20% Corrected at Visit

Most recent inspection: Mar 26, 2026

● 5 Important

Across 2 inspections since 2025, the issues cited most often were A Safe Indoor and Outdoor Environment Was Not Provided for the Children. (1), The Indoor And/or Outdoor Premises Was Not Checked Once a Day, Prior to Initial Use, Ensuring Debris, and Broken Equipment Was Removed and Disposed Of. (1), and All Vehicles Used to Transport Children Were Not Free of Hazards. (1). None of the 5 findings were critical.

Inspection Visits

Mar 26, 2026 3 Findings ● 3 Important

● **A Safe Indoor and Outdoor Environment Was Not Provided for the Children.**

Mulch on three (3) of the four (4) playgrounds was mixed with dirt and weeds and was an insufficient depth around climbing equipment, a slide, and climbing tires. A panel of wood on a climbing tire used by 3 year

● **The Indoor And/or Outdoor Premises Was Not Checked Once a Day, Prior to Initial Use, Ensuring Debris, and Broken Equipment Was Removed and Disposed Of.**

Debris was present on one (1) of the four (4) playgrounds while in use by the children. The debris was removed during the visit. Viol

● **All Vehicles Used to Transport Children Were Not Free of Hazards.**

Two (2) seat backs on the bus currently in use had large holes and exposed foam. These were covered by tape during the visit. Violation corrected during visit

Corrected at visit

Sep 30, 2025 2 Findings ● 2 Important

● **Refrigerator(s) Did Not Maintain a Temperature of 45 Degrees F. or Below.**

The refrigerator in the infant room registered at 49 degrees. Violation confirmed corrected by letter received from provider on 10/14/2025

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

● **Diaper Changing Surfaces Were Not Kept Free of Storage.**

A child's shoes and an ice pack was stored on the diaper changing surface in space 2. Violation confirmed corrected by letter received from provider on 10/14/2025

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.