

NINTH STREET KIN

1006 BROAD STREET
DURHAM, NC

3 Inspection Visits Since 2025 - 5 Findings - 0% Corrected at Visit

Most recent inspection: Dec 10, 2025

● 5 Important

Across 3 inspections since 2025, the issues cited most often were All Stationary Equipment, More Than 18 Inches High, Was Not Installed Over Protective Surfacing. (2), NC Sanitation Rule 15A NCAC 18A .2806(a) States That Food Shall Be Stored in Approved, Clean, Tightly Covered, Storage Containers Once the Original Package Is... (1), and A Valid Qualification Letter Was Not on File and Available to Review at the Facility. (1). None of the 5 findings were critical.

Inspection Visits

Dec 10, 2025 2 Findings ● 2 Important

- **All Stationary Equipment, More Than 18 Inches High, Was Not Installed Over Protective Surfacing.**
Additional surfacing was needed in the fall zone for the stationary climber, as noted on the November outdoor inspection form. Violation confirmed corrected by letter received from provide
- **NC Sanitation Rule 15A NCAC 18A .2806(a) States That Food Shall Be Stored in Approved, Clean, Tightly Covered, Storage Containers Once the Original Package Is...**
opened. During today's visit there was an opened bag of marsh mellows and chocolate chips cookies in the kitchen cabinet. Vio

Jul 23, 2025 2 Findings ● 2 Important

- **All Stationary Equipment, More Than 18 Inches High, Was Not Installed Over Protective Surfacing.**
Additional surfacing was needed in the fall zone for the stationary climber to meet the requirements. Violation confirmed corrected by letter received from provider on 8/11/2025
- **A Valid Qualification Letter Was Not on File and Available to Review at the Facility.**
During today's visit I verified in the Criminal Record Check database that the music instructor had CRC clearance, but his clearance letter could not be located. Violation confirmed corrected by let

Jan 9, 2025 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

- **Operator Has Not Scheduled and Obtained a Fire Inspection Within 12 Months of the Previous Inspection.**

Operator did not submit the original approved report to DCDEE within one week of the inspection visit on a form provided by the Division. The last fire inspection at this center was

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.