

# WINDSOR PARK ELEMENTARY SCHOOL

3910 SUDBURY ROAD  
CHARLOTTE, NC

## 2 Inspection Visits Since 2025 - 5 Findings - 20% Corrected at Visit

Most recent inspection: Dec 12, 2025

● 5 Important

Across 2 inspections since 2025, the issues cited most often were All Staff, Including the Director, Did Not Have an Annual Health Questionnaire on File Following the Initial Medical Statement. (1), All Staff Did Not Successfully Complete Certification in First Aid Appropriate to the Age of Children in Care. (1), and All Staff Did Not Successfully Complete Certification in CPR Training Appropriate to the Age of the Children in Care. (1). None of the 5 findings were critical.

## Inspection Visits

**Dec 12, 2025** 3 Findings ● 3 Important

● **All Staff, Including the Director, Did Not Have an Annual Health Questionnaire on File Following the Initial Medical Statement.**

One staff member didn't have a HQ on file available for review. Violation confirmed corrected by letter received from provider on 12/17/2025

● **All Staff Did Not Successfully Complete Certification in First Aid Appropriate to the Age of Children in Care.**

Verification of staff completion of First Aid training from an approved training organization was not in the staff file. Two staff either were past due or didn't obtain with

● **All Staff Did Not Successfully Complete Certification in CPR Training Appropriate to the Age of the Children in Care.**

Verification of staff completion of the CPR course from an approved training organization was not in the staff file. Two staff either were past due or didn't obtain w

**Jan 29, 2025** 2 Findings ● 2 Important

### About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

- **The Center Did Not Maintain Records as Required in Rule, And/or Were Not Made Available to the Division for Review.**

DPI children's records forms were not current for two classrooms. They were updated during the visit. Violation corrected during visit

Corrected at visit

- **Human Milk, Formula and Other Bottled Beverages Including Sippy Cups, Sent From Child's Home Were Not Fully Prepared, Dated, and Labeled for the Appropriate...**

child. Water bottles sent from home were monitored not labeled and dated. Violation confirmed corrected by letter received from

#### About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.