

OLD DOCK ELEMENTARY

12489 NEW BRITTON HWY EAST
WHITEVILLE, NC

3 Inspection Visits Since 2023 · 5 Findings · 0% Corrected at Visit

Most recent inspection: Jan 28, 2026

● 5 Important

Across 3 inspections since 2023, the issues cited most often were Staff Did Not Complete the Health and Safety Training Within One Year of Employment. (1), Prescribed Medicine Was Not in Original Labeled Container or Accompanied by Signed and Dated Written Instructions From Prescribing Physician or Health Care... (1), and Application Did Not Have a Medical Action Plan Attached for Any Child with Health Care Needs Such as Allergies, Asthma, or Other Chronic Conditions That... (1). None of the 5 findings were critical.

Inspection Visits

Jan 28, 2026 1 Finding ● 1 Important

● **Staff Did Not Complete the Health and Safety Training Within One Year of Employment.**

A staff member hired on August 19, 2024 has not completed the required training topics. Violation confirmed corrected by letter received from provider on 2/5/2026

Feb 22, 2024 2 Findings ● 2 Important

● **Prescribed Medicine Was Not in Original Labeled Container or Accompanied by Signed and Dated Written Instructions From Prescribing Physician or Health Care...**

professional. An Epi-pen was observed in Space #200 without the original labeled container. Violation confirmed corrected by lett

● **Application Did Not Have a Medical Action Plan Attached for Any Child with Health Care Needs Such as Allergies, Asthma, or Other Chronic Conditions That...**

require specialized health services. Medical action plans were not observed for a child with asthma and a child with an allergy. Vio

Sep 26, 2023 2 Findings ● 2 Important

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

- **Equipment and Furnishings Were Not Sturdy, Stable and Free of Hazards.**

Four protruding bolts were observed in the plastic border surrounding the fall zone on the playground. Violation confirmed corrected by letter received from provider on 10/2/2023

- **All Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, Any Product Which Is Under Pressure in an Aerosol Dispenser, and Any Substance...**

which may be hazardous to a child if ingested, inhaled, or handled were not stored in a locked room or cabinet. An aerosol can of

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.