

J.H. GUNN ASEP

7520 HARRISBURG ROAD
CHARLOTTE, NC

2 Inspection Visits Since 2025 - 5 Findings - 20% Corrected at Visit

Most recent inspection: Feb 6, 2026

● 5 Important

Across 2 inspections since 2025, the issues cited most often were Application Did Not Have a Medical Action Plan Attached for Any Child with Health Care Needs Such as Allergies, Asthma, or Other Chronic Conditions That... (1), Center Administrators and Staff Did Not Use the Information Provided in the Application to Ensure That Each Individual Child's Needs Are Met. (1), and Medication Authorization, Giving the Caregiver Standing Authorization Did Not Meet the Specifications in Rule. (1). None of the 5 findings were critical.

Inspection Visits

Feb 6, 2026 4 Findings ● 4 Important

● **Application Did Not Have a Medical Action Plan Attached for Any Child with Health Care Needs Such as Allergies, Asthma, or Other Chronic Conditions That...**

require specialized health services. Emergency medication was monitored, as there were three (3) children present, listed on Group T

● **Center Administrators and Staff Did Not Use the Information Provided in the Application to Ensure That Each Individual Child's Needs Are Met.**

Emergency medication was monitored, as there were three (3) children present, listed on Group Two's allergy list with documented chronic medica

● **Medication Authorization, Giving the Caregiver Standing Authorization Did Not Meet the Specifications in Rule.**

Emergency medication was monitored, as there were three (3) children present, listed on Group Two's allergy list with documented chronic medical conditions requiring medicati

● **The Person Identified as the Person or Alternate Person Responsible for Carrying Out the Emergency Medical Care Plan Was Not on the Premises at All Times...**

and/or did not accompany children for off premise activities. During today's visit, a walk-through of the ASEP facility was conduct

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

Sep 29, 2025 1 Finding 1 Important

● **A Safe Indoor and Outdoor Environment Was Not Provided for the Children.**

In Space #2 it was observed that a bolt affixed to a metal plated attached to the wall was protruding outward about 3 inches. Violation corrected during visit

Corrected at visit

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.