

HAW RIVER ELEMENTARY PREK

701 E MAIN ST
HAW RIVER, NC

4 Inspection Visits Since 2024 · 5 Findings · 0% Corrected at Visit

Most recent inspection: Mar 23, 2026

● 5 Important

Across 4 inspections since 2024, the issues cited most often were Shelter-in-place or Lockdown Drills Were Not Practiced Every Three Months And/or Drill Record Was Incomplete. (1), Monthly Playground Inspections Were Not Completed And/or They Were Not Completed by an Individual Trained in Playground Safety Requirements. (1), and Prior to the Expiration Date of the Qualification Letter, the Child Care Provider Did Not Complete and Submit Required Forms to Complete a Criminal Background... (1). None of the 5 findings were critical.

Inspection Visits

Mar 23, 2026 1 Finding ● 1 Important

- **Shelter-in-place or Lockdown Drills Were Not Practiced Every Three Months And/or Drill Record Was Incomplete.**

A required drill was not completed between December 2025 and February 2026. Violation confirmed corrected by letter received from provider on 4/13/2026

Mar 25, 2025 1 Finding ● 1 Important

- **Monthly Playground Inspections Were Not Completed And/or They Were Not Completed by an Individual Trained in Playground Safety Requirements.**

An inspection was not on file for December 2024. Violation confirmed corrected by letter received from provider on 3/25/2025

Dec 4, 2024 1 Finding ● 1 Important

- **Prior to the Expiration Date of the Qualification Letter, the Child Care Provider Did Not Complete and Submit Required Forms to Complete a Criminal Background...**

check (a qualification letter is valid for a maximum of five years for the date of issuance). The qualification letter for G.

Apr 16, 2024 2 Findings ● 2 Important

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

- **The Indoor And/or Outdoor Premises Was Not Checked Once a Day, Prior to Initial Use, Ensuring Debris, and Broken Equipment Was Removed and Disposed Of.**

One bumper on the upper playground was split open around one of the bolts. On the lower playground the following items were observe

- **Staff Required to Receive On-going Training Had Not Completed the Required Number of Hours According to Their Education and Experience.**

Staff member S. Russell was short seven hours of ongoing training. These were due by 2/12/23. Violation confirmed corrected by letter received from

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.