

PALISADES PARK ELEMENTARY ASEP

15321 YORK ROAD
CHARLOTTE, NC

3 Inspection Visits Since 2024 - 3 Findings - 0% Corrected at Visit

Most recent inspection: May 1, 2025

● 3 Important

Across 3 inspections since 2024, the issues cited most often were Shelter-in-place or Lockdown Drills Were Not Practiced Every Three Months And/or Drill Record Was Incomplete. (1), Enhanced Staff/child Ratios and Group Sizes Were Not Met. (1), and A Current Activity Plan Was Not Posted for Each Group of Children for Reference. (1). None of the 3 findings were critical.

Inspection Visits

May 1, 2025 1 Finding ● 1 Important

● **Shelter-in-place or Lockdown Drills Were Not Practiced Every Three Months And/or Drill Record Was Incomplete.**

The last shelter-in-place drill or lockdown drill was conducted January 6, 2025. Violation confirmed corrected by letter received from provider on 5/8/2025

Jan 8, 2025 1 Finding ● 1 Important

● **Enhanced Staff/child Ratios and Group Sizes Were Not Met.**

The Program Coordinatator was the only staff member present with thirty-two children from 2:52PM to 3:01PM. The children were five years of age to ten years of age. Violation confirmed corrected by follow-up visit made by consu

Jan 16, 2024 1 Finding ● 1 Important

● **A Current Activity Plan Was Not Posted for Each Group of Children for Reference.**

A current activity plan was not posted for either group today. The plan posted for Group 1 and Group 2 was dated January 4, 2024. Violation confirmed corrected by letter received from provider on 1/23/202

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.