

## HOPE LUTHERAN PRESCHOOL

3525 ROGERS ROAD  
WAKE FOREST, NC

### 2 Inspection Visits Since 2025 · 5 Findings · 0% Corrected at Visit

Most recent inspection: Nov 13, 2025

#### ● 5 Important

Across 2 inspections since 2025, the issues cited most often were Equipment and Furnishings Were Not Sturdy, Stable and Free of Hazards. (1), Child Care Providers and Uncompensated Providers Who Are Not Substitute Providers or Volunteers, Including the Director Did Not Have a Medical Report on File... (1), and All Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, Any Product Which Is Under Pressure in an Aerosol Dispenser, and Any Substance... (1). None of the 5 findings were critical.

### Inspection Visits

#### Nov 13, 2025 2 Findings ● 2 Important

##### ● Equipment and Furnishings Were Not Sturdy, Stable and Free of Hazards.

Shelving in space #4, #7, and #8 were not in good repair. The shelves were observed with chipping paint, chipping wood, splinters, and were not sturdy. Violation confirmed corrected by letter received from provider

##### ● Child Care Providers and Uncompensated Providers Who Are Not Substitute Providers or Volunteers, Including the Director Did Not Have a Medical Report on File...

prior to employment that was signed by a health care professional and/ or the medical report was older than 12 months. A staff

#### Apr 30, 2025 3 Findings ● 3 Important

##### ● All Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, Any Product Which Is Under Pressure in an Aerosol Dispenser, and Any Substance...

which may be hazardous to a child if ingested, inhaled, or handled were not stored in a locked room or cabinet. Modge Podge in an

##### ● Leftover Medicines Were Not Returned to the Parent After the Course of Treatment Was Completed, After Authorization Was Withdrawn or After Authorization Had...

expired and/or medication was not discarded within 72 hours of completion of treatment or withdrawal of authorization. An Albuterol

### About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

● **All Electrical Appliances Were Not Used in Accordance with the Manufacturers Instruction.**

Appliances with heating elements, such as bottle warmers, crock pots, curling irons, irons, coffee pots, and/or their cords were accessible to preschool-age children. A hot glue gun was observed

**About this report**

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.