

TILLERY ACADEMY

28812 SWEET HOME CHURCH ROAD
ALBEMARLE, NC

2 Inspection Visits Since 2025 · 5 Findings · 100% Corrected at Visit

Most recent inspection: Dec 5, 2025

● 5 Important

Across 2 inspections since 2025, the issues cited most often were Staff/child Ratios Applicable to a Classroom, Were Not Posted in Each Classroom. (1), A Current Schedule Was Not Posted for Each Group of Children for Reference. (1), and A Current Activity Plan Was Not Posted for Each Group of Children for Reference. (1). None of the 5 findings were critical.

Inspection Visits

Dec 5, 2025 4 Findings ● 4 Important

● **Staff/child Ratios Applicable to a Classroom, Were Not Posted in Each Classroom.**

In space #4, a staff/child ratio sheet was not posted for the school age group. Violation corrected during visit

Corrected at visit

● **A Current Schedule Was Not Posted for Each Group of Children for Reference.**

In space #4, a schedule was not posted for the school age children. Violation corrected during visit

Corrected at visit

● **A Current Activity Plan Was Not Posted for Each Group of Children for Reference.**

In space #4, an activity plan was not posted for the school age group. Violation corrected during visit

Corrected at visit

● **Formula and Other Beverages Which Require Refrigeration Were Not Identified for Each Child or Properly Refrigerated.**

In space #1, there was a child's formula bottle in the refrigerator without a date on the bottle. Violation corrected during visit

Corrected at visit

May 6, 2025 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

- **All Floors and Floor Coverings Were Not Constructed of Nonabsorbent Material And/or Were Not Kept Clean and in Good Repair.**

In space #2, a round rug on the floor needed to be cleaned. Violation corrected during visit

Corrected at visit

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.