

CREATIVE PLAY PRESCHOOL

1331 TYVOLA ROAD
CHARLOTTE, NC

1 Inspection Visit Since 2024 - 5 Findings - 60% Corrected at Visit

Most recent inspection: Nov 7, 2024

● 5 Important

Across 1 inspection since 2024, the issues cited most often were Parent's Medication Authorization Did Not Include Required Information. (1), New Staff, Who Had Contact with Children, Did Not Receive at Least 16 Hrs. Orientation Within First 6 Weeks. (1), and Emergency Medical Care Information Was Not on File in the Center on the Child's First Day of Attendance And/or Was Not Updated as Changes Occurred or at Least... (1). None of the 5 findings were critical.

Inspection Visits

Nov 7, 2024 5 Findings ● 5 Important

● **Parent's Medication Authorization Did Not Include Required Information.**

Parent's medication authorization for one (1) child did not include the "to date" of which medication can be administered for a "from date" of 1/15/24. Violation corrected during visit

Corrected at visit

● **New Staff, Who Had Contact with Children, Did Not Receive at Least 16 Hrs. Orientation Within First 6 Weeks.**

One (1) new staff, who had contact with children, did not receive at least 16 hrs. orientation within first 6 weeks. Violation corrected during visit

Corrected at visit

● **Emergency Medical Care Information Was Not on File in the Center on the Child's First Day of Attendance And/or Was Not Updated as Changes Occurred or at Least...**

annually for each child. Emergency medical care information was not updated as changes occurred or at least annually for two

● **The Trained Staff Did Not Review the EPR Plan Annually or When Information in the Plan Changed to Ensure All Information Was Current.**

The EPR Plan was not updated annually. Violation confirmed corrected by letter received from provider on 11/18/2024

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

● **The Depth of the Loose Surfacing Was Not Based on Critical Height of the Equipment.**

The depth of the loose surfacing under the climbing structures on the younger preschool playground was not based on critical height of the equipment. Violation corrected during visit

Corrected at visit

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.