

T. & G. # 3

114 EAST PITT STREET
TARBORO, NC

2 Inspection Visits Since 2025 · 5 Findings · 40% Corrected at Visit

Most recent inspection: May 12, 2026

● 5 Important

Across 2 inspections since 2025, the issues cited most often were Operator Has Not Scheduled and Obtained a Fire Inspection Within 12 Months of the Previous Inspection. (1), All Vehicles Used to Transport Children Were Not Free of Hazards. (1), and Food Substitution Was Not of Comparable Food Value or Recorded on the Menu Prior to the Meal or Snack Being Served. (1). None of the 5 findings were critical.

Inspection Visits

May 12, 2026 2 Findings ● 2 Important

- **Operator Has Not Scheduled and Obtained a Fire Inspection Within 12 Months of the Previous Inspection.**

Operator did not submit the original approved report to DCDEE within one week of the inspection visit on a form provided by the Division. The fire inspection was completed on July 23,

- **All Vehicles Used to Transport Children Were Not Free of Hazards.**

The Ford Passenger Van with license plate PAY-7584, had one of the double doors that did not open. Violation confirmed corrected by letter received from provider on 5/15/2026

Jul 8, 2025 3 Findings ● 3 Important

- **Food Substitution Was Not of Comparable Food Value or Recorded on the Menu Prior to the Meal or Snack Being Served.**

French toast served to children for breakfast was not recorded on the menu as required for substitution. Violation corrected during visit

Corrected at visit

- **A Safe Indoor and Outdoor Environment Was Not Provided for the Children.**

Clorox bottles were observed on a shelf less than 5ft. from the finished floor in Space #3. Two screws were protruding from the cabinet door exposing sharp points in Space #2a Violation corrected during visit

Corrected at visit

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

● **Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs...**

unless located behind furniture or equipment that cannot be moved by a child. Electrical outlets not in use were not covered

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.