

FREEDOM ACADEMY OF NC

7921 US 158
REIDSVILLE, NC

3 Inspection Visits Since 2024 · 5 Findings · 80% Corrected at Visit

Most recent inspection: Mar 2, 2026

● 5 Important

Across 3 inspections since 2024, the issues cited most often were All Staff, Including the Director, Did Not Have an Annual Health Questionnaire on File Following the Initial Medical Statement. (2), Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs... (1), and Monthly Playground Inspections Were Not Completed And/or They Were Not Completed by an Individual Trained in Playground Safety Requirements. (1). None of the 5 findings were critical.

Inspection Visits

Mar 2, 2026 1 Finding ● 1 Important

- **All Staff, Including the Director, Did Not Have an Annual Health Questionnaire on File Following the Initial Medical Statement.**

Two staff did not have the health questionnaire in the file. Violation corrected during visit

Corrected at visit

Apr 14, 2025 1 Finding ● 1 Important

- **All Staff, Including the Director, Did Not Have an Annual Health Questionnaire on File Following the Initial Medical Statement.**

Five teachers did not have a health questionnaire on file. Violation corrected during visit

Corrected at visit

Oct 7, 2024 3 Findings ● 3 Important

- **Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs...**

unless located behind furniture or equipment that cannot be moved by a child. There was one outlet uncovered in the hallway.

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

● **Monthly Playground Inspections Were Not Completed And/or They Were Not Completed by an Individual Trained in Playground Safety Requirements.**

There was no monthly playground check completed for September 2024. Violation corrected during visit

Corrected at visit

● **Signage Was Not Posted Regarding the Smoking and Tobacco Restriction at the Entrance of the Center And/or in Vehicles Used to Transport Children.**

There was no "No Smoking" sign at the entrance of the preschool. Violation corrected during visit

Corrected at visit

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.