

# Afreya's Playground

2117 Piney Plains Rd  
CARY, NC

## 2 Inspection Visits Since 2025 - 5 Findings - 0% Corrected at Visit

Most recent inspection: Feb 17, 2026

● 5 Important

Across 2 inspections since 2025, the issues cited most often were Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs... (1), Plastic Bags, Materials That Could Be Torn Apart and Toy Parts Small Enough to Be Swallowed Were Accessible to Children Under Three Years of Age. (1), and The Center Did Not Complete an EPR Plan Within Four Months of Completing the EPR in Child Care Training And/or the Plan Was Not Completed on a Template... (1). None of the 5 findings were critical.

## Inspection Visits

**Feb 17, 2026** 4 Findings ● 4 Important

● **Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs...**

unless located behind furniture or equipment that cannot be moved by a child. Electrical outlets were observed not covered in

● **Plastic Bags, Materials That Could Be Torn Apart and Toy Parts Small Enough to Be Swallowed Were Accessible to Children Under Three Years of Age.**

Plastic bags were observed in an unlocked drawer in the 1 year old classroom that was accessible to the children. Violation confirmed corre

● **The Center Did Not Complete an EPR Plan Within Four Months of Completing the EPR in Child Care Training And/or the Plan Was Not Completed on a Template...**

provided by the Division. The director of the facility completed the EPR training on April 22, 2025 but did not complete the plan wit

● **The Depth of the Loose Surfacing Was Not Based on Critical Height of the Equipment.**

The pink climbing structure is over three feet tall and was not placed over the required loose surfacing. Violation confirmed corrected by letter received from provider on 3/3/2026

### About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

**Sep 18, 2025** 1 Finding 1 Important

● **Medications Including Prescription and Non-prescription Items Were Not Stored in a Locked Cabinet or Other Locked Container.**

Diaper cream was stored in drawer under the diaper changing table. Violation confirmed corrected by letter received from provider on 9/28/2025

**About this report**

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.