

## Everbrook Academy

1635 Oakhurst Commons Drive  
CHARLOTTE, NC

### 3 Inspection Visits Since 2026 - 5 Findings - 20% Corrected at Visit

Most recent inspection: Apr 22, 2026

● 5 Important

Across 3 inspections since 2026, the issues cited most often were Operator Has Not Scheduled and Obtained a Fire Inspection Within 12 Months of the Previous Inspection. (1), Caregiver Did Not Make Provision for Constructive Guidance and Setting Limits That the Child Can Understand and That Foster the Child's Ability to Be... (1), and Fire Drills Were Not Practiced Monthly And/or the Drill Record Was Incomplete. (1). None of the 5 findings were critical.

### Inspection Visits

**Apr 22, 2026** 1 Finding ● 1 Important

● **Operator Has Not Scheduled and Obtained a Fire Inspection Within 12 Months of the Previous Inspection.**

Operator did not submit the original approved report to DCDEE within one week of the inspection visit on a form provided by the Division. The center's annual fire inspection was due

**Mar 31, 2026** 1 Finding ● 1 Important

● **Caregiver Did Not Make Provision for Constructive Guidance and Setting Limits That the Child Can Understand and That Foster the Child's Ability to Be...**

self-disciplined. On March 17, 2026, a staff member was observed by a parent on the center video using an open hand to redirect two chi

**Feb 24, 2026** 3 Findings ● 3 Important

● **Fire Drills Were Not Practiced Monthly And/or the Drill Record Was Incomplete.**

A monthly fire drill was not completed since December 2025. REPEATED VIOLATION Violation confirmed corrected by letter received from provider on 3/10/2026

● **There Was No Written Emergency Medical Care (EMC) Plan.**

The posted EMC plan in classrooms were monitored not current. Violation confirmed corrected by letter received from provider on 2/25/2026

#### About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

● **The Temperature in a Room Where Infants Aged 12 Months or Younger Where Sleeping Exceeded 75 Degrees.**

The temperature in space #2 thermometer read 75.4F. Violation corrected during visit

Corrected at visit

**About this report**

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.