

KIDDIE ACADEMY OF CARY

1450 TRYON MANOR DRIVE
CARY, NC

3 Inspection Visits Since 2024 - 5 Findings - 20% Corrected at Visit

Most recent inspection: Mar 31, 2025

● 5 Important

Across 3 inspections since 2024, the issues cited most often were Lavatories Were Not Kept Clean, in Good Repair and Kept Free of Storage. (1), Operator Has Not Scheduled and Obtained a Fire Inspection Within 12 Months of the Previous Inspection. (1), and Incident Reports Were Not Completed Each Time a Child Was Injured, It Did Not Include All the Information Required in Rule, It Was Not Signed by the Parent... (1). None of the 5 findings were critical.

Inspection Visits

Mar 31, 2025 1 Finding ● 1 Important

● **Lavatories Were Not Kept Clean, in Good Repair and Kept Free of Storage.**

One toilet in the three year old classroom had a leaky handle used to flush the toilet, causing water to pool on the floor. The toilet handle was replaced during today's visit. Violation corrected during visit

Corrected at visit

Feb 10, 2025 1 Finding ● 1 Important

● **Operator Has Not Scheduled and Obtained a Fire Inspection Within 12 Months of the Previous Inspection.**

Operator did not submit the original approved report to DCDEE within one week of the inspection visit on a form provided by the Division. The last fire inspection at this facility wa

Oct 1, 2024 3 Findings ● 3 Important

● **Incident Reports Were Not Completed Each Time a Child Was Injured, It Did Not Include All the Information Required in Rule, It Was Not Signed by the Parent...**

and/or it was not maintained in the child's file. An incident report completed for an infant on September 23, 2024 did not includ

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

- **All Staff Did Not Successfully Complete Certification in First Aid Appropriate to the Age of Children in Care.**

Verification of staff completion of First Aid training from an approved training organization was not in the staff file. One staff member was found to have an expired First A

- **All Staff Did Not Successfully Complete Certification in CPR Training Appropriate to the Age of the Children in Care.**

Verification of staff completion of the CPR course from an approved training organization was not in the staff file. One staff member was found to have an expired CPR

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.