

FRIENDS PLAYHOUSE

6490 FRANZ WARNER PARKWAY
WHITSETT, NC

3 Inspection Visits Since 2025 · 5 Findings · 40% Corrected at Visit

Most recent inspection: Mar 17, 2026

● 5 Important

Across 3 inspections since 2025, the issues cited most often were All Staff Did Not Successfully Complete Certification in First Aid Appropriate to the Age of Children in Care. (1), All Staff Did Not Successfully Complete Certification in CPR Training Appropriate to the Age of the Children in Care. (1), and A Safe Indoor and Outdoor Environment Was Not Provided for the Children. (1). None of the 5 findings were critical.

Inspection Visits

Mar 17, 2026 2 Findings ● 2 Important

- **All Staff Did Not Successfully Complete Certification in First Aid Appropriate to the Age of Children in Care.**

Verification of staff completion of First Aid training from an approved training organization was not in the staff file. Several staff members did not have current First Ai

- **All Staff Did Not Successfully Complete Certification in CPR Training Appropriate to the Age of the Children in Care.**

Verification of staff completion of the CPR course from an approved training organization was not in the staff file. Several staff members did not have current CPR tr

Dec 11, 2025 1 Finding ● 1 Important

- **A Safe Indoor and Outdoor Environment Was Not Provided for the Children.**

In the classroom for preschool children the cord from a mounted TV was observed hanging down low and accessible to the children. Violation corrected during visit

Corrected at visit

Mar 26, 2025 2 Findings ● 2 Important

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

● **The Center Did Not Have Developmentally Appropriate Equipment and Materials Accessible Daily.**

In the space for younger two year old children, there were no books accessible to the children. The books were stored on a shelf out of reach from the children. Violation confirmed correcte

● **Bed, Cribs, Playpens, Cots or Mats Were Not Placed at Least 18" Apart or Separated by Partitions When in Use.**

In the space for toddlers the cots were not placed at least 18 inches apart as required. Violation corrected during visit

Corrected at visit

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.