

HOLLY SPRINGS ACADEMY

116 QUANTUM ST
HOLLY SPRINGS, NC

2 Inspection Visits Since 2025 · 5 Findings · 20% Corrected at Visit

Most recent inspection: Jul 24, 2025

● 5 Important

Across 2 inspections since 2025, the issues cited most often were Operator Has Not Scheduled and Obtained a Fire Inspection Within 12 Months of the Previous Inspection. (1), A Current Activity Plan Was Not Posted for Each Group of Children for Reference. (1), and Parent's Medication Authorization Did Not Include Required Information. (1). None of the 5 findings were critical.

Inspection Visits

Jul 24, 2025 4 Findings ● 4 Important

- **Operator Has Not Scheduled and Obtained a Fire Inspection Within 12 Months of the Previous Inspection.**

Operator did not submit the original approved report to DCDEE within one week of the inspection visit on a form provided by the Division. The last documented fire inspection was 4/2/

- **A Current Activity Plan Was Not Posted for Each Group of Children for Reference.**

The activity plan posted was dated 7/13/25 - 7/18/25. Violation corrected during visit

Corrected at visit

- **Parent's Medication Authorization Did Not Include Required Information.**

Permission forms in space #1 expired on 7/16/25; in space #3 two forms did not have dates to administrator. Violation confirmed corrected by letter received from provider on 8/5/2025

- **15A NCAC 18A .2824 (B) Floors and Floor Coverings in Sleeping and Play Areas Shall Be Kept Clean and in Good Repair.**

The floor in space #2 was dirty; build up of old wax. Violation confirmed corrected by letter received from provider on 8/16/2025

Feb 11, 2025 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

- **All Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, Any Product Which Is Under Pressure in an Aerosol Dispenser, and Any Substance...**

which may be hazardous to a child if ingested, inhaled, or handled were not stored in a locked room or cabinet. A container of Cl

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.