

THE LEARNING EXPERIENCE

16604 OLD STATESVILLE ROAD
HUNTERSVILLE, NC

3 Inspection Visits Since 2025 · 5 Findings · 40% Corrected at Visit

Most recent inspection: Apr 28, 2026

● 5 Important

Across 3 inspections since 2025, the issues cited most often were All Walls and Ceilings Including Doors and Windows Were Not Kept Clean, Free of Visible Fungal Growth, and in Good Repair. (2), A Drug or Medicine Was Administered After Its Expiration Date. (1), and All Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, Any Product Which Is Under Pressure in an Aerosol Dispenser, and Any Substance... (1). None of the 5 findings were critical.

Inspection Visits

Apr 28, 2026 2 Findings ● 2 Important

- **All Walls and Ceilings Including Doors and Windows Were Not Kept Clean, Free of Visible Fungal Growth, and in Good Repair.**

In space #11, there was water leaking from the ceiling. Violation confirmed corrected by letter received from provider on 5/20/2026

- **A Drug or Medicine Was Administered After Its Expiration Date.**

In space #8, a child's diaper cream had expired permission to give dates. Violation corrected during visit

Corrected at visit

Nov 12, 2025 1 Finding ● 1 Important

- **All Walls and Ceilings Including Doors and Windows Were Not Kept Clean, Free of Visible Fungal Growth, and in Good Repair.**

In spaces #11, #8, #4, #3, #2 there was peeling paint on the walls. Violation confirmed corrected by letter received from provider on 11/21/2025

May 6, 2025 2 Findings ● 2 Important

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

- **All Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, Any Product Which Is Under Pressure in an Aerosol Dispenser, and Any Substance...**

which may be hazardous to a child if ingested, inhaled, or handled were not stored in a locked room or cabinet. In space #4, ther

- **The EMC Plan Was Not Reviewed with All Staff Annually and Whenever the Plan Was Revised.**

There was no documentation on file of an annual EMC review for one staff member. Violation corrected during visit

Corrected at visit

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.