

TRIANGLE MONTESSORI ACADEMY

540 E CHATHAM ST
CARY, NC

3 Inspection Visits Since 2024 - 5 Findings - 20% Corrected at Visit

Most recent inspection: Jan 21, 2026

● 5 Important

Across 3 inspections since 2024, the issues cited most often were Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs... (1), A Statement Acknowledging the Parental Decision to Opt Out of the Supplemental Food Provided by the Center Was Not Signed by the Parent And/or Maintained On... (1), and First Aid Kit And/or Fire Extinguisher Was Not Located in Vehicle; Kit And/or Extinguisher Was Not Mounted or Secured if in Passenger Area. (1). None of the 5 findings were critical.

Inspection Visits

Jan 21, 2026 2 Findings ● 2 Important

● **Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs...**

unless located behind furniture or equipment that cannot be moved by a child. An electrical outlet in the Cherry room was un

● **A Statement Acknowledging the Parental Decision to Opt Out of the Supplemental Food Provided by the Center Was Not Signed by the Parent And/or Maintained On...**

file at the center. A nutrition opt out form was observed incomplete in one child's file. This operation does not provide food

Jan 28, 2025 2 Findings ● 2 Important

● **First Aid Kit And/or Fire Extinguisher Was Not Located in Vehicle; Kit And/or Extinguisher Was Not Mounted or Secured if in Passenger Area.**

A fire extinguisher was not observed in the vehicle used for transportation. Violation confirmed corrected by letter received from provider on 2

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

● **The Trained Staff Did Not Review the EPR Plan Annually or When Information in the Plan Changed to Ensure All Information Was Current.**

The EPR plan was last updated 1/16/24. This was corrected during inspection when the Owner updated the plan.
Violation corrected during visit

Corrected at visit

Jan 31, 2024 1 Finding ● 1 Important

● **Child Care Providers and Uncompensated Providers Who Are Not Substitute Providers or Volunteers, Including the Director Did Not Have a Medical Report on File...**

prior to employment that was signed by a health care professional and/ or the medical report was older than 12 months.
One staf

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.