

MERRICK-MOORE SAC CLUB

2325 CHEEK ROAD
DURHAM, NC

2 Inspection Visits Since 2024 - 2 Findings - 0% Corrected at Visit

Most recent inspection: Oct 16, 2024

● 2 Important

Across 2 inspections since 2024, the issues cited most often were A Valid Qualification Letter Was Not on File and Available to Review at the Facility. (1) and Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs... (1). None of the 2 findings were critical.

Inspection Visits

Oct 16, 2024 1 Finding ● 1 Important

● **A Valid Qualification Letter Was Not on File and Available to Review at the Facility.**

The qualification letter expired on 9/19/24 for one staff present today. Violation confirmed corrected by letter received from provider on 10/25/2024

Apr 15, 2024 1 Finding ● 1 Important

● **Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs...**

unless located behind furniture or equipment that cannot be moved by a child. There was an uncovered outlet in classroom spa

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.