

ELLEN TOBIN CHILD CARE

3221 SUNNYMEDE LANE
CHARLOTTE, NC

2 Inspection Visits Since 2025 - 5 Findings - 20% Corrected at Visit

Most recent inspection: Oct 23, 2025

● 5 Important

Across 2 inspections since 2025, the issues cited most often were Caregivers Did Not Document Compliance with Visually Checking on Sleeping Infants Aged 12 Months or Younger And/or the Documents Were Not Maintained for A... (1), A Child Care Operator Did Not Notify the Division of Any New Child Care Providers, as Defined in G.S. 110-90.2(a)(2), Who Were Hired or Moved Into the Child... (1), and Products That Are Labeled "Keep Out of Reach of Children" Without Any Other Warnings, Were Not Stored on a Shelf or in an Unlocked Cabinet That Is Five Feet... (1). None of the 5 findings were critical.

Inspection Visits

Oct 23, 2025 4 Findings ● 4 Important

- **Caregivers Did Not Document Compliance with Visually Checking on Sleeping Infants Aged 12 Months or Younger And/or the Documents Were Not Maintained for A...**
minimum of 30 days. Safe sleep checks were not maintained for a minimum of 30 days. Violation confirmed corrected by letter receiv
- **A Child Care Operator Did Not Notify the Division of Any New Child Care Providers, as Defined in G.S. 110-90.2(a)(2), Who Were Hired or Moved Into the Child...**
care facility within five business days. The roster listing household members and caregivers was not completed in the ABCMS port
- **Products That Are Labeled "Keep Out of Reach of Children" Without Any Other Warnings, Were Not Stored on a Shelf or in an Unlocked Cabinet That Is Five Feet...**
above the finished floor. Diaper creams labeled "keep out of reach of children" were stored on top of the piano next to the chan
- **Plastic Bags, Toys, and Toy Parts Small Enough to Be Swallowed, Including but Not Limited to Materials That Can Be Easily Torn Apart Such as Foam Rubber And...**
styrofoam, were accessible to children under the age of three. Dolls with small parts were available for children under three ye

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

May 7, 2025 1 Finding ● 1 Important

● **Electrical Outlets Not in Use Were Not Covered.**

Two (2) electrical outlets did not have safety plugs in the child care space. Violation corrected during visit

Corrected at visit

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.