

NORTHEAST ELEMENTARY PRESCHOOL

1002 EAST HIGHLAND AVENUE
KINSTON, NC

4 Inspection Visits Since 2023 · 5 Findings · 0% Corrected at Visit

Most recent inspection: Apr 28, 2026

● 5 Important

Across 4 inspections since 2023, the issues cited most often were A Safe Indoor and Outdoor Environment Was Not Provided for the Children. (2), The Child Care Administrator and All Staff Did Not Complete the Recognizing and Responding to Suspicions of Child Maltreatment Training Within 90 Days Of... (1), and The Depth of the Loose Surfacing Was Not Based on Critical Height of the Equipment. (1). None of the 5 findings were critical.

Inspection Visits

Apr 28, 2026 1 Finding ● 1 Important

● **The Child Care Administrator and All Staff Did Not Complete the Recognizing and Responding to Suspicions of Child Maltreatment Training Within 90 Days Of...**

employment. Ms. Barnes began employment on August 18, 2025. Ms. Barnes has not completed the Recognizing and Responding to Suspicio

Feb 18, 2026 1 Finding ● 1 Important

● **The Depth of the Loose Surfacing Was Not Based on Critical Height of the Equipment.**

The mulch in front of the red slide and in front of the blue climbing stairs measured five inches. The critical height for this piece of climbing equipment is 3 feet 4 inches. The mulch was very compac

Apr 17, 2024 1 Finding ● 1 Important

● **A Safe Indoor and Outdoor Environment Was Not Provided for the Children.**

Under the blue awning attached to the large piece of climbing equipment, there were two small wasp nests. One of the wasp nests was actively being built by a wasp. Across from the large climbing equipment along t

Sep 12, 2023 2 Findings ● 2 Important

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

- **A Safe Indoor and Outdoor Environment Was Not Provided for the Children.**

There were four (4) ant hills located in the outdoor play area. Violation confirmed corrected by letter received from provider on 9/18/2023

- **The Outdoor Premises Were Not Clean, Drained and Free of Litter and Hazardous Materials Grass and Other Vegetation in a Manner Which Does Not Encourage Vermin.**

The grass needs to be cut, the grass was covering up active ant hills. Violation confirmed corrected by letter received from

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.