

MCDEED'S CREEK ELEMENTARY

2953 CAMP EASTER RD
SOUTHERN PINES, NC

4 Inspection Visits Since 2024 · 5 Findings · 0% Corrected at Visit

Most recent inspection: Jan 13, 2026

● 5 Important

Across 4 inspections since 2024, the issues cited most often were The Depth of the Loose Surfacing Was Not Based on Critical Height of the Equipment. (1), A Child Care Operator Did Not Notify the Division of Any New Child Care Providers, as Defined in G.S. 110-90.2(a)(2), Who Were Hired or Moved Into the Child... (1), and All Staff Did Not Successfully Complete Certification in CPR Training Appropriate to the Age of the Children in Care. (1). None of the 5 findings were critical.

Inspection Visits

Jan 13, 2026 1 Finding ● 1 Important

● **The Depth of the Loose Surfacing Was Not Based on Critical Height of the Equipment.**

The mulch surfacing in front of the slide on the stationary piece of equipment was not at least six inches deep. I suggested pulling mulch out from under the based of the slide to meeti the depth req

Jul 31, 2025 1 Finding ● 1 Important

● **A Child Care Operator Did Not Notify the Division of Any New Child Care Providers, as Defined in G.S. 110-90.2(a)(2), Who Were Hired or Moved Into the Child...**

care facility within five business days. The operator had not completed the ABCMS process to add staff to the ABCMS roster. Vio

Jan 15, 2025 1 Finding ● 1 Important

● **All Staff Did Not Successfully Complete Certification in CPR Training Appropriate to the Age of the Children in Care.**

Verification of staff completion of the CPR course from an approved training organization was not in the staff file. The CPR certification of two staff expired Januar

Jul 25, 2024 2 Findings ● 2 Important

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

- **The Child Care Center Premises, Including the Outdoor Learning Environment, Was Not Clean, Drained to Minimize Standing Water, Free of Litter and Hazards,...**
and/or maintained in a manner which does not create conditions that attract or harbor pests. The grass on the outdoor play area h
- **All Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, Any Product Which Is Under Pressure in an Aerosol Dispenser, and Any Substance...**
which may be hazardous to a child if ingested, inhaled, or handled were not stored in a locked room or cabinet. The closet contai

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.