

LITTLE BELIEVERS ACADEMY

600 MIAL STREET
CLAYTON, NC

1 Inspection Visit Since 2024 · 5 Findings · 20% Corrected at Visit

Most recent inspection: Mar 4, 2024

● 5 Important

Across 1 inspection since 2024, the issues cited most often were A Current Activity Plan Was Not Posted for Each Group of Children for Reference. (1), Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs... (1), and All Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, Any Product Which Is Under Pressure in an Aerosol Dispenser, and Any Substance... (1). None of the 5 findings were critical.

Inspection Visits

Mar 4, 2024 5 Findings ● 5 Important

● **A Current Activity Plan Was Not Posted for Each Group of Children for Reference.**

The activity plan posted in space 2 was dated for 2-26-24 to 3-1-24. Violation corrected during visit

Corrected at visit

● **Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs...**

unless located behind furniture or equipment that cannot be moved by a child. Three outlets in a power strip were not covered

● **All Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, Any Product Which Is Under Pressure in an Aerosol Dispenser, and Any Substance...**

which may be hazardous to a child if ingested, inhaled, or handled were not stored in a locked room or cabinet. A Magic Eraser w

● **All Staff Did Not Successfully Complete Certification in First Aid Appropriate to the Age of Children in Care.**

Verification of staff completion of First Aid training from an approved training organization was not in the staff file. A first aid course was not completed every two years

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

● **All Staff Did Not Successfully Complete Certification in CPR Training Appropriate to the Age of the Children in Care.**

Verification of staff completion of the CPR course from an approved training organization was not in the staff file. A CPR course was not completed every two years as

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.