

SCOTTS CREEK SCHOOL PRESCHOOL

516 PARRIS BRANCH ROAD
SYLVA, NC

2 Inspection Visits Since 2025 · 5 Findings · 0% Corrected at Visit

Most recent inspection: Mar 10, 2026

● 5 Important

Across 2 inspections since 2025, the issues cited most often were When Children 3 Years and Older Were in Care, Screen Time Was Not Used to Stimulate a Developmental Domain; Was Not Limited to 30 Minutes a Day and No More... (1), All Electrical Appliances Were Not Used in Accordance with the Manufacturers Instruction. (1), and Shelter-in-place or Lockdown Drills Were Not Practiced Every Three Months And/or Drill Record Was Incomplete. (1). None of the 5 findings were critical.

Inspection Visits

Mar 10, 2026 4 Findings ● 4 Important

● **When Children 3 Years and Older Were in Care, Screen Time Was Not Used to Stimulate a Developmental Domain; Was Not Limited to 30 Minutes a Day and No More...**

than a total of two and a half hours per week, per child; and/or was not documented on a cumulative log or the activity plan that

● **All Electrical Appliances Were Not Used in Accordance with the Manufacturers Instruction.**

Appliances with heating elements, such as bottle warmers, crock pots, curling irons, irons, coffee pots, and/or their cords were accessible to preschool-age children. A Keurig coffee pot was loca

● **Shelter-in-place or Lockdown Drills Were Not Practiced Every Three Months And/or Drill Record Was Incomplete.**

The last shelter in place was conducted on 10/28/25. The next shelter in place/locked down drill was due January 2026. Violation confirmed corrected by letter received from pr

● **A Violation Was Found for Which There Is No Item Number.**

Sanitation Rule 15ANCAC18A. 2820

(c) Non-aerosol sanitizing solutions, approved disinfectants, detergent solutions, hand antiseptics, and hand lotions shall be kept inaccessible to children when not in use, but are not required

Apr 11, 2025 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

● **Openings in Equipment, Steps, Decks, Handrails, and Fencing Were Not Less Than 3 1/2 Inches or Greater Than 9 Inches.**

The outdoor fence had a gap at the bottom that measured 4.5 inches. Violation confirmed corrected by letter received from provider on 4/25/2025

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.