

# HAY-BRANSON HEAD START

925 DAVIS COURT  
FAYETTEVILLE, NC

## 2 Inspection Visits Since 2023 - 4 Findings - 50% Corrected at Visit

Most recent inspection: Sep 9, 2024

● 4 Important

Across 2 inspections since 2023, the issues cited most often were Operator Has Not Scheduled and Obtained a Fire Inspection Within 12 Months of the Previous Inspection. (1), All Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, Any Product Which Is Under Pressure in an Aerosol Dispenser, and Any Substance... (1), and Monthly Playground Inspections Were Not Completed And/or They Were Not Completed by an Individual Trained in Playground Safety Requirements. (1). None of the 4 findings were critical.

### Inspection Visits

Sep 9, 2024 1 Finding ● 1 Important

● **Operator Has Not Scheduled and Obtained a Fire Inspection Within 12 Months of the Previous Inspection.**

Operator did not submit the original approved report to DCDEE within one week of the inspection visit on a form provided by the Division. The current fire inspection completed August

Sep 20, 2023 3 Findings ● 3 Important

● **All Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, Any Product Which Is Under Pressure in an Aerosol Dispenser, and Any Substance...**

which may be hazardous to a child if ingested, inhaled, or handled were not stored in a locked room or cabinet. Accessible to pre

● **Monthly Playground Inspections Were Not Completed And/or They Were Not Completed by an Individual Trained in Playground Safety Requirements.**

A monthly playground inspection was not completed at the facility and/or was not on file. Violation corrected during visit

Corrected at visit

### About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

● **The EPR Plan Did Not Include the Location of the Ready to Go File and or the Required Information.**

The facility's Ready to Go File did not include a copy of the most current EPR Plan and updated Staff Contact Information. Violation corrected during visit

Corrected at visit

**About this report**

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.