

# ABC DAYCARE

8337 E WT HARRIS BLVD  
CHARLOTTE, NC

## 4 Inspection Visits Since 2023 - 5 Findings - 20% Corrected at Visit

Most recent inspection: Dec 11, 2025

● 5 Important

Across 4 inspections since 2023, the issues cited most often were Operator Has Not Scheduled and Obtained a Fire Inspection Within 12 Months of the Previous Inspection. (2), All Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, Any Product Which Is Under Pressure in an Aerosol Dispenser, and Any Substance... (2), and A Safe Indoor and Outdoor Environment Was Not Provided for the Children. (1). None of the 5 findings were critical.

## Inspection Visits

**Dec 11, 2025** 1 Finding ● 1 Important

● **Operator Has Not Scheduled and Obtained a Fire Inspection Within 12 Months of the Previous Inspection.**

Operator did not submit the original approved report to DCDEE within one week of the inspection visit on a form provided by the Division. The fire inspection completed on 10/3/25 was

**Mar 10, 2025** 1 Finding ● 1 Important

● **All Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, Any Product Which Is Under Pressure in an Aerosol Dispenser, and Any Substance...**

which may be hazardous to a child if ingested, inhaled, or handled were not stored in a locked room or cabinet. I observed an aer

**Aug 2, 2024** 1 Finding ● 1 Important

● **All Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, Any Product Which Is Under Pressure in an Aerosol Dispenser, and Any Substance...**

which may be hazardous to a child if ingested, inhaled, or handled were not stored in a locked room or cabinet. I observed an aer

**Oct 18, 2023** 2 Findings ● 2 Important

### About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

- **Operator Has Not Scheduled and Obtained a Fire Inspection Within 12 Months of the Previous Inspection.**

Operator did not submit the original approved report to DCDEE within one week of the inspection visit on a form provided by the Division. The fire inspection on file with DCDEE was c

- **A Safe Indoor and Outdoor Environment Was Not Provided for the Children.**

I observed two (2) play structures with trays that had standing water. Violation corrected during visit

Corrected at visit

### About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.