

LAKWOOD SAC CLUB

2520 VESSON AVE
DURHAM, NC

4 Inspection Visits Since 2023 - 5 Findings - 40% Corrected at Visit

Most recent inspection: May 6, 2026

● 5 Important

Across 4 inspections since 2023, the issues cited most often were Enhanced Staff/child Ratios and Group Sizes Were Not Met. (2), All Staff Did Not Successfully Complete Certification in First Aid Appropriate to the Age of Children in Care. (1), and All Staff Did Not Successfully Complete Certification in CPR Training Appropriate to the Age of the Children in Care. (1). None of the 5 findings were critical.

Inspection Visits

May 6, 2026 2 Findings ● 2 Important

● **All Staff Did Not Successfully Complete Certification in First Aid Appropriate to the Age of Children in Care.**

Verification of staff completion of First Aid training from an approved training organization was not in the staff file. The first aid training for the administrator expired

● **All Staff Did Not Successfully Complete Certification in CPR Training Appropriate to the Age of the Children in Care.**

Verification of staff completion of the CPR course from an approved training organization was not in the staff file. The CPR training for the administrator expired on

Feb 26, 2026 1 Finding ● 1 Important

● **Enhanced Staff/child Ratios and Group Sizes Were Not Met.**

Highest Voluntary Enhanced staff/child ratios were not met. There were twenty children five-eleven years of age with one group leader. Violation corrected during visit

Corrected at visit

Feb 18, 2026 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

● **Enhanced Staff/child Ratios and Group Sizes Were Not Met.**

There were fifteen children five-six years of age with one group leader in the K-1 group. Violation corrected during visit

Corrected at visit

Sep 13, 2023 1 Finding ● 1 Important

● **All Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, Any Product Which Is Under Pressure in an Aerosol Dispenser, and Any Substance...**

which may be hazardous to a child if ingested, inhaled, or handled were not stored in a locked room or cabinet. There were Clorox

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.