

DREAM WORLD ACADEMY

130 SAVAGE STREET
FRANKLINTON, NC

3 Inspection Visits Since 2024 · 5 Findings · 0% Corrected at Visit

Most recent inspection: Dec 4, 2025

● 5 Important

Across 3 inspections since 2024, the issues cited most often were All Equipment and Furnishings Were Not in Good Repair. (2), The Trained Staff Did Not Review the EPR Plan Annually or When Information in the Plan Changed to Ensure All Information Was Current. (1), and A Child Care Operator Did Not Notify the Division of Any New Child Care Providers, as Defined in G.S. 110-90.2(a)(2), Who Were Hired or Moved Into the Child... (1). None of the 5 findings were critical.

Inspection Visits

Dec 4, 2025 2 Findings ● 2 Important

● **All Equipment and Furnishings Were Not in Good Repair.**

Several ant hills were observed on the front play area and the large play area in the back of the building. Violation confirmed corrected by letter received from provider on 12/15/2025

● **The Trained Staff Did Not Review the EPR Plan Annually or When Information in the Plan Changed to Ensure All Information Was Current.**

The EPR plan was revised 11/5/25 and the previous date was 1/11/24. Violation confirmed corrected by letter received from provider on 12/15/2025

Jul 15, 2025 1 Finding ● 1 Important

● **A Child Care Operator Did Not Notify the Division of Any New Child Care Providers, as Defined in G.S. 110-90.2(a)(2), Who Were Hired or Moved Into the Child...**

care facility within five business days. The administrator has yet to complete the required ABCMS provider training to set up th

Dec 17, 2024 2 Findings ● 2 Important

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

- **All Equipment and Furnishings Were Not in Good Repair.**

The several anchors used to secure the shade structure on the large playground are protruding. The wood shed on the large playground has areas on the front where the wood is in disrepair and may cause injury. Violation confirmed c

- **Each Staff Member Did Not Have the Required Medical Report, Proof of Tuberculosis Test or Screening And/or Completed Health Questionnaire in a Medical File,...**

maintained separately from the staff member's individual personnel file. Staff medical report, TB form and health questionnaire

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.