

APEX PEAK SCHOOLS, INC.

432 E WILLIAMS STREET
APEX, NC

3 Inspection Visits Since 2024 · 5 Findings · 60% Corrected at Visit

Most recent inspection: Jan 6, 2026

● 5 Important

Across 3 inspections since 2024, the issues cited most often were Human Milk, Formula and Other Bottled Beverages Including Sippy Cups, Sent From Child's Home Were Not Fully Prepared, Dated, and Labeled for the Appropriate... (2), Plastic Bags, Materials That Could Be Torn Apart and Toy Parts Small Enough to Be Swallowed Were Accessible to Children Under Three Years of Age. (1), and Refrigerator(s) Did Not Maintain a Temperature of 45 Degrees F. or Below. (1). None of the 5 findings were critical.

Inspection Visits

Jan 6, 2026 1 Finding ● 1 Important

- **Plastic Bags, Materials That Could Be Torn Apart and Toy Parts Small Enough to Be Swallowed Were Accessible to Children Under Three Years of Age.**

In a space used for two years old trash bags were stored in an unlocked cabinet. Violation corrected during visit

Corrected at visit

Jul 15, 2025 1 Finding ● 1 Important

- **Human Milk, Formula and Other Bottled Beverages Including Sippy Cups, Sent From Child's Home Were Not Fully Prepared, Dated, and Labeled for the Appropriate...**

child. An infant bottle was not labeled with the child's name. Violation corrected during visit

Corrected at visit

Jul 25, 2024 3 Findings ● 3 Important

- **Human Milk, Formula and Other Bottled Beverages Including Sippy Cups, Sent From Child's Home Were Not Fully Prepared, Dated, and Labeled for the Appropriate...**

child. An infant bottle was stored in the refrigerator without the child's name and date. Violation corrected during visit

Corrected at visit

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

- **Refrigerator(s) Did Not Maintain a Temperature of 45 Degrees F. or Below.**

A refrigerator containing a bottle of milk did not have a thermometer. Violation confirmed corrected by letter received from provider on 7/26/2024

- **Staff Required to Receive On-going Training Had Not Completed the Required Number of Hours According to Their Education and Experience.**

Four staff members did not meet their yearly required training hours. Violation confirmed corrected by letter received from provider on 8/4/2024

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.