

LITTLE WARRIORS CHRISTIAN ACADEMY

305 WEST OAK ST
GOLDSBORO, NC

3 Inspection Visits Since 2024 · 5 Findings · 0% Corrected at Visit

Most recent inspection: Feb 17, 2026

● 5 Important

Across 3 inspections since 2024, the issues cited most often were A Current Activity Plan Was Not Posted for Each Group of Children for Reference. (1), A Child Care Operator Did Not Notify the Division of Any New Child Care Providers, as Defined in G.S. 110-90.2(a)(2), Who Were Hired or Moved Into the Child... (1), and A Violation Was Found for Which There Is No Item Number. (1). None of the 5 findings were critical.

Inspection Visits

Feb 17, 2026 1 Finding ● 1 Important

● **A Current Activity Plan Was Not Posted for Each Group of Children for Reference.**

A current lesson plan was not posted in the classroom designated for three year old children. Violation confirmed corrected by letter received from provider on 2/27/2026

Sep 19, 2025 2 Findings ● 2 Important

● **A Child Care Operator Did Not Notify the Division of Any New Child Care Providers, as Defined in G.S. 110-90.2(a)(2), Who Were Hired or Moved Into the Child...**

care facility within five business days. The center's ABCMS provider portal was not current with all staff members. Violation co

● **A Violation Was Found for Which There Is No Item Number.**

All rooms used by children shall be heated, cooled, and ventilated to maintain an ambient temperature between 65 degrees Fahrenheit and 85 degrees Fahrenheit. Ventilation may be in the form of openable windows with screens or by

Sep 24, 2024 2 Findings ● 2 Important

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

- **Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs...**

unless located behind furniture or equipment that cannot be moved by a child. Power strip outlets not in use were not covered

- **All Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, Any Product Which Is Under Pressure in an Aerosol Dispenser, and Any Substance...**

which may be hazardous to a child if ingested, inhaled, or handled were not stored in a locked room or cabinet. Toothpaste was ac

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.