

UNION ELEMENTARY

10400 TAYLORS BRIDGE HWY
CLINTON, NC

2 Inspection Visits Since 2025 · 5 Findings · 0% Corrected at Visit

Most recent inspection: Apr 17, 2026

● 5 Important

Across 2 inspections since 2025, the issues cited most often were A Child Care Operator Did Not Notify the Division of Any New Child Care Providers, as Defined in G.S. 110-90.2(a)(2), Who Were Hired or Moved Into the Child... (1), Operator Has Not Scheduled and Obtained a Fire Inspection Within 12 Months of the Previous Inspection. (1), and Daily Records of Arrival and Departure Times for Children at the Center Were Not Maintained as Children Arrive and Depart And/or Were Not Made Available For... (1). None of the 5 findings were critical.

Inspection Visits

Apr 17, 2026 1 Finding ● 1 Important

- **A Child Care Operator Did Not Notify the Division of Any New Child Care Providers, as Defined in G.S. 110-90.2(a)(2), Who Were Hired or Moved Into the Child...**
care facility within five business days. The administrator did not notify the Division of newly hired staff within the required

Apr 29, 2025 4 Findings ● 4 Important

- **Operator Has Not Scheduled and Obtained a Fire Inspection Within 12 Months of the Previous Inspection.**
Operator did not submit the original approved report to DCDEE within one week of the inspection visit on a form provided by the Division. The last documented approved fire inspection
- **Daily Records of Arrival and Departure Times for Children at the Center Were Not Maintained as Children Arrive and Depart And/or Were Not Made Available For...**
review. In all four (4) spaces, daily arrival/departure times were not maintained as children arrived in the morning.
Violation
- **Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs...**
unless located behind furniture or equipment that cannot be moved by a child. In space 104, a power strip that was not in use

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

- **All Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, Any Product Which Is Under Pressure in an Aerosol Dispenser, and Any Substance...**

which may be hazardous to a child if ingested, inhaled, or handled were not stored in a locked room or cabinet. In space 109, an

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.