

# EMMANUEL LUTHERAN SCHOOL

51 WILBURN PLACE  
ASHEVILLE, NC

## 1 Inspection Visit Since 2026 - 5 Findings - 0% Corrected at Visit

Most recent inspection: Jun 2, 2026

● 5 Important

Across 1 inspection since 2026, the issues cited most often were The Materials and Equipment Indoors and Outdoors Were Not Sufficient to Provide a Variety of Play Experiences to Promote the Children's Emotional and Social... (1), Openings in Equipment, Steps, Decks, Handrails, and Fencing Were Not Less Than 3 1/2 Inches or Greater Than 9 Inches. (1), and Air Conditioning Units Were Accessible or Did Not Have a Guard to Keep Objects From Being Thrown Into the Unit. (1). None of the 5 findings were critical.

## Inspection Visits

Jun 2, 2026 5 Findings ● 5 Important

● **The Materials and Equipment Indoors and Outdoors Were Not Sufficient to Provide a Variety of Play Experiences to Promote the Children's Emotional and Social...**

development, health and physical development, approaches to play and learning, language and communication development, and cogni

● **Openings in Equipment, Steps, Decks, Handrails, and Fencing Were Not Less Than 3 1/2 Inches or Greater Than 9 Inches.**

The lock for the shed on the preschool playground created openings between doors as wide as 4 1/2 inches. Violation pending provider response

● **Air Conditioning Units Were Accessible or Did Not Have a Guard to Keep Objects From Being Thrown Into the Unit.**

Two (2) air-conditioning units in the walk path that connects the outside patio between room 111 and 113 were accessible to the children, and the top fans were not covered b

● **Prior to the Expiration Date of the Qualification Letter, the Child Care Provider Did Not Complete and Submit Required Forms to Complete a Criminal Background...**

check (a qualification letter is valid for a maximum of five years for the date of issuance). Four (4) staff members did not c

● **A Valid Qualification Letter Was Not on File and Available to Review at the Facility.**

Valid qualification letters were not on file for four (4) staff members. Violation pending provider response

### About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

**About this report**

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.