

KIDS NEXT DOOR

204 COOK STREET
KANNAPOLIS, NC

2 Inspection Visits Since 2024 · 5 Findings · 0% Corrected at Visit

Most recent inspection: Mar 5, 2025

● 5 Important

Across 2 inspections since 2024, the issues cited most often were Children Did Not Wash Their Hands Upon Arrival at the Center, After Each Visit to the Toilet, Before Eating, Before and After Water Activity Play, After... (1), Leftover Medicines Were Not Returned to the Parent After the Course of Treatment Was Completed, After Authorization Was Withdrawn or After Authorization Had... (1), and The Medical Action Plan Was Not Updated on an Annual Basis or When Changes to the Plan Were Made by the Child's Parent or Health Care Professional. (1). None of the 5 findings were critical.

Inspection Visits

Mar 5, 2025 3 Findings ● 3 Important

● **Children Did Not Wash Their Hands Upon Arrival at the Center, After Each Visit to the Toilet, Before Eating, Before and After Water Activity Play, After...**

outside play, and after handling animals or animal cages. In space 2, children did not wash their hands before a meal was served to

● **Leftover Medicines Were Not Returned to the Parent After the Course of Treatment Was Completed, After Authorization Was Withdrawn or After Authorization Had...**

expired and/or medication was not discarded within 72 hours of completion of treatment or withdrawal of authorization. In space

● **The Medical Action Plan Was Not Updated on an Annual Basis or When Changes to the Plan Were Made by the Child's Parent or Health Care Professional.**

In space 2, one Medical Action Plan was expired. Violation confirmed corrected by letter received from provider on 3/12/2025

Apr 10, 2024 2 Findings ● 2 Important

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

- **All Equipment and Furnishings Were Not in Good Repair.**

Outdoor equipment needs to be pressure washed and children's playhouse need repair on the outside. The children's playhouses need to be pressure washed and cleaned. The outside of the playhouse has a piece of broken plastic that

- **Outdoor Play Area Was Not Enclosed by Fence with a Minimum Height of 4 Feet.**

The top of the fence, less than six feet, was not free from protrusions. Bottom of fence had some protrusion areas that may be hazardous to children. Violation confirmed corrected by letter received from prov

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.