

LITTLE SPROUTS ACADEMY

535 W GANNON AVE
ZEBULON, NC

2 Inspection Visits Since 2025 · 5 Findings · 0% Corrected at Visit

Most recent inspection: May 22, 2025

● 5 Important

Across 2 inspections since 2025, the issues cited most often were Children Did Not Wash Their Hands Upon Arrival at the Center, After Each Visit to the Toilet, Before Eating, Before and After Water Activity Play, After... (1), A Current Activity Plan Was Not Posted for Each Group of Children for Reference. (1), and Equipment and Furnishings Were Not Sturdy, Stable and Free of Hazards. (1). None of the 5 findings were critical.

Inspection Visits

May 22, 2025 1 Finding ● 1 Important

- **Children Did Not Wash Their Hands Upon Arrival at the Center, After Each Visit to the Toilet, Before Eating, Before and After Water Activity Play, After...**
outside play, and after handling animals or animal cages. The children in the one year old classroom did not wash their hands after

Feb 24, 2025 4 Findings ● 4 Important

- **A Current Activity Plan Was Not Posted for Each Group of Children for Reference.**
One classroom did not have a current activity plan posted. Violation confirmed corrected by letter received from provider on 3/5/2025
- **Equipment and Furnishings Were Not Sturdy, Stable and Free of Hazards.**
The trash can in the two year old classroom was observed to have a large amount of dried food and debris on the lid and down the sides. A table in the 4/5 year old classroom had grime and needs to be deep cleaned.
- **A Safe Indoor and Outdoor Environment Was Not Provided for the Children.**
A bottle of Aveeno body lotion was observed accessible to the children in the one year old classroom. In the 4/5 year old classroom the electrical panel box was unlocked and partially open. The doors to the Kit

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

● **Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs...**

unless located behind furniture or equipment that cannot be moved by a child. Electrical outlets were observed uncovered in

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.