

THE LEARNING TREE

205 MCDONALD ROAD
FOREST CITY, NC

2 Inspection Visits Since 2023 · 5 Findings · 0% Corrected at Visit

Most recent inspection: Mar 4, 2024

● 5 Important

Across 2 inspections since 2023, the issues cited most often were Daily Records of Arrival and Departure Times for Children Enrolled at the Center Were Not Maintained as Children Arrive and Depart And/or Were Not Made... (1), Plastic Bags, Materials That Could Be Torn Apart and Toy Parts Small Enough to Be Swallowed Were Accessible to Children Under Three Years of Age. (1), and Staff Were Not Notified in Writing of All Changes to Personnel Policies. (1). None of the 5 findings were critical.

Inspection Visits

Mar 4, 2024 3 Findings ● 3 Important

● **Daily Records of Arrival and Departure Times for Children Enrolled at the Center Were Not Maintained as Children Arrive and Depart And/or Were Not Made...**

available for review. On 2/23/24 there was one child not signed out of care. On 2/29/24, there was one child not signed out of care.

● **Plastic Bags, Materials That Could Be Torn Apart and Toy Parts Small Enough to Be Swallowed Were Accessible to Children Under Three Years of Age.**

In space #2 and space #3, there were 2 phone charger cords and art supplies that were suffocation and strangulation hazards accessible to c

● **Staff Were Not Notified in Writing of All Changes to Personnel Policies.**

One child enrolled 2/1/24, did not have verification of a medical exam on file. Violation confirmed corrected by letter received from provider on 3/8/2024

Sep 15, 2023 2 Findings ● 2 Important

● **Equipment and Furnishings Were Not Sturdy, Stable and Free of Hazards.**

The playground for 1 and 2 year old children had mold on the play structure. One play car was missing 2 of its 4 wheels. Violation confirmed corrected by letter received from provider on 9/26/2023

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

● **Electrical Cords Were Accessible to Infants and Toddlers.**

An electrical cord attached to a bottle warmer was in a cabinet accessible to children in Space #3. Electrical cords on a bottle warmer and a microwave were in a cabinet accessible to children in Space #8. Violation corrected d

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.