

# AMIRA AMOR CHILDCARE CENTER

980 KENNESAW DRIVE  
FAYETTEVILLE, NC

## 3 Inspection Visits Since 2025 - 5 Findings - 20% Corrected at Visit

Most recent inspection: Mar 25, 2026

● 5 Important

Across 3 inspections since 2025, the issues cited most often were Refrigerator(s) Did Not Maintain a Temperature of 45 Degrees F. or Below. (1), A Child Care Operator Did Not Notify the Division of Any New Child Care Providers Who Were Hired or Moved Into the Home Within Five Business Days by Submitting... (1), and The Child Care Center Premises, Including the Outdoor Learning Environment, Was Not Clean, Drained to Minimize Standing Water, Free of Litter and Hazards,... (1). None of the 5 findings were critical.

## Inspection Visits

**Mar 25, 2026** 1 Finding ● 1 Important

● **Refrigerator(s) Did Not Maintain a Temperature of 45 Degrees F. or Below.**

The thermometer refrigerator in space 2, read a temperature of 50 degrees. During the visit the administrator moved the thermometer and it reads 40 degrees. Violation corrected during visit

Corrected at visit

**Dec 3, 2025** 1 Finding ● 1 Important

● **A Child Care Operator Did Not Notify the Division of Any New Child Care Providers Who Were Hired or Moved Into the Home Within Five Business Days by Submitting...**

the Change of Information form provided by the Division. The operator filed to become a corporation with the North Carolina S

**Apr 10, 2025** 3 Findings ● 3 Important

● **The Child Care Center Premises, Including the Outdoor Learning Environment, Was Not Clean, Drained to Minimize Standing Water, Free of Litter and Hazards,...**

and/or maintained in a manner which does not create conditions that attract or harbor pests. In space #5, there was a small pest c

### About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

- **All Staff Did Not Successfully Complete Certification in First Aid Appropriate to the Age of Children in Care.**

Verification of staff completion of First Aid training from an approved training organization was not in the staff file. One staff member completed First Aid training through

- **All Staff Did Not Successfully Complete Certification in CPR Training Appropriate to the Age of the Children in Care.**

Verification of staff completion of the CPR course from an approved training organization was not in the staff file. One staff completed CPR training through an online

#### **About this report**

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.