

EXCEL LEARNING CENTERS #5

111 THOMAS GARST LANE
LELAND, NC

3 Inspection Visits Since 2025 · 5 Findings · 0% Corrected at Visit

Most recent inspection: Dec 2, 2025

● 5 Important

Across 3 inspections since 2025, the issues cited most often were Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs... (1), New Staff, Who Had Contact with Children, Did Not Receive at Least 16 Hrs. Orientation Within First 6 Weeks. (1), and All Children Were Not Held or Placed in Feeding Chairs or Other Appropriate Apparatus to Be Fed. (1). None of the 5 findings were critical.

Inspection Visits

Dec 2, 2025 2 Findings ● 2 Important

● **Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs...**

unless located behind furniture or equipment that cannot be moved by a child. Electrical outlets were not covered in spaces 4

● **New Staff, Who Had Contact with Children, Did Not Receive at Least 16 Hrs. Orientation Within First 6 Weeks.**

Three staff members have not received at least 16 hours of orientation within the first 6 weeks of employment. Violation confirmed corrected by letter received from provider on

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

Sep 4, 2025 2 Findings ● 2 Important

- **All Children Were Not Held or Placed in Feeding Chairs or Other Appropriate Apparatus to Be Fed.**
An infant in space 1 (tadpoles) was observed drinking a bottle while propped on a boppy pillow rather than an appropriate feeding apparatus. Violation confirmed corrected by letter receive
- **At Least One Child Care Provider, Who Has Completed ITS-SIDS Training Was Not Present in the Infant Room, While Children Were in Care.**
The two (2) teachers caring for infants in space 1 (tadpoles) did not have ITS-SIDS training. Violation confirmed corrected by letter received from pr

Jul 31, 2025 1 Finding ● 1 Important

- **All Floors and Floor Coverings Were Not Constructed of Nonabsorbent Material And/or Were Not Kept Clean and in Good Repair.**
The carpets and floors were not clean in spaces 5, 6, 7, 8, and 9. Violation confirmed corrected by letter received from provider on 8/13/2025

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.