

Weldon Elementary School

805 WASHINGTON AVENUE
WELDON, NC

3 Inspection Visits Since 2025 · 5 Findings · 20% Corrected at Visit

Most recent inspection: Dec 3, 2025

● 5 Important

Across 3 inspections since 2025, the issues cited most often were Child Care Providers, Including the Director, Uncompensated Providers, Substitute Providers, and Volunteers Did Not Have the Required Emergency Information... (1), Substitute Providers and Volunteers Did Not Have a Health Questionnaire on or Before the First Day of Work and Annually Thereafter. (1), and Operator Has Not Scheduled and Obtained a Fire Inspection Within 12 Months of the Previous Inspection. (1). None of the 5 findings were critical.

Inspection Visits

Dec 3, 2025 2 Findings ● 2 Important

- **Child Care Providers, Including the Director, Uncompensated Providers, Substitute Providers, and Volunteers Did Not Have the Required Emergency Information...**

Form on file on or before the first day of work, which included all the required information and/or the information on the form w

- **Substitute Providers and Volunteers Did Not Have a Health Questionnaire on or Before the First Day of Work and Annually Thereafter.**

T. Miles, substitute did not have a health questionnaire on file for review. Violation corrected during visit

Corrected at visit

Sep 18, 2025 2 Findings ● 2 Important

- **Operator Has Not Scheduled and Obtained a Fire Inspection Within 12 Months of the Previous Inspection.**

Operator did not submit the original approved report to DCDEE within one week of the inspection visit on a form provided by the Division. The last fire inspection available for revie

- **The Depth of the Loose Surfacing Was Not Based on Critical Height of the Equipment.**

The mulch around the climbing equipment measured between 3 and 4 inches, particularly in front of the slide and in front of the stairs. The depth of the mulch should have been 6 inches or more. Violati

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

Jan 8, 2025 1 Finding ● 1 Important

● **Shelter-in-place or Lockdown Drills Were Not Practiced Every Three Months And/or Drill Record Was Incomplete.**

The last lockdown drill was conducted on September 16, 2024. The next drill should have been conducted in December 2024. Violation confirmed corrected by letter received from

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.