

DOUGLASS HEAD START

408 PRICE STREET
EDEN, NC

4 Inspection Visits Since 2025 · 5 Findings · 0% Corrected at Visit

Most recent inspection: Apr 27, 2026

● 5 Important

Across 4 inspections since 2025, the issues cited most often were The Center Did Not Comply with the Permit Restrictions. (1), Children Were Not Adequately Supervised at All Times. (1), and All Equipment and Furnishings Were Not in Good Repair. (1). None of the 5 findings were critical.

Inspection Visits

Apr 27, 2026 1 Finding ● 1 Important

● **The Center Did Not Comply with the Permit Restrictions.**

The facility is meeting head start/early head start ratios, one to nine ratio with a group size of eighteen, according to their license. On April 2, 2026, in space 112, there were thirteen (13) children with one (1) staff member

Apr 14, 2026 1 Finding ● 1 Important

● **Children Were Not Adequately Supervised at All Times.**

A child was allowed into the school building and accompanied to the head start classroom by another minor. Violation confirmed corrected by follow-up visit made by consultant on 4/27/2026

Feb 17, 2026 2 Findings ● 2 Important

● **All Equipment and Furnishings Were Not in Good Repair.**

There are five (5) bolts sticking up from the black plastic border surrounding the sandbox. There is a broken plastic flower bed. The benches on the child-sized picnic table are splintering. Violation confirmed corrected by lette

● **Each New Employee Did Not Complete, Within the First Two Weeks of Employment, Six Clock Hours of Training in Required Topic Areas.**

A new employee did not have the dates of when the topic was discussed with staff. Violation confirmed corrected by letter received from provider on 3/2/2

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

Oct 28, 2025 1 Finding ● 1 Important

● **A Safe Indoor and Outdoor Environment Was Not Provided for the Children.**

A child was given a cheese stick when the child had a known allergy to milk products. Violation confirmed corrected by letter received from provider on 11/11/2025

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.