

KINGDOM KIDS CHILDCARE CENTER

199 ELK STREET
NEWLAND, NC

1 Inspection Visit Since 2025 · 5 Findings · 0% Corrected at Visit

Most recent inspection: Aug 19, 2025

● 5 Important

Across 1 inspection since 2025, the issues cited most often were Each Infant Was Not Held for Bottle Feeding Until He/she Can Hold His Own Bottle. (1), Human Milk, Formula and Other Bottled Beverages Including Sippy Cups, Sent From Child's Home Were Not Fully Prepared, Dated, and Labeled for the Appropriate... (1), and All Walls and Ceilings Including Doors and Windows Were Not Kept Clean, Free of Visible Fungal Growth, and in Good Repair. (1). None of the 5 findings were critical.

Inspection Visits

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

Aug 19, 2025 5 Findings ● 5 Important

- **Each Infant Was Not Held for Bottle Feeding Until He/she Can Hold His Own Bottle.**
An infant had a bottle in the crib while holding it themselves. Violation confirmed corrected by letter received from provider on 8/26/2025
- **Human Milk, Formula and Other Bottled Beverages Including Sippy Cups, Sent From Child's Home Were Not Fully Prepared, Dated, and Labeled for the Appropriate...**
child. Three bottles had yesterday's date on them. Violation confirmed corrected by letter received from provider on 8/26/2025
- **All Walls and Ceilings Including Doors and Windows Were Not Kept Clean, Free of Visible Fungal Growth, and in Good Repair.**
Space #5/6 had peeling and chipping paint. Violation confirmed corrected by letter received from provider on 8/26/2025
- **All Stationary Equipment, More Than 18 Inches High, Was Not Installed Over Protective Surfacing.**
The surfacing under the dome climber was barely one inch deep. Violation confirmed corrected by letter received from provider on 8/26/2025
- **All Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, Any Product Which Is Under Pressure in an Aerosol Dispenser, and Any Substance...**
which may be hazardous to a child if ingested, inhaled, or handled were not stored in a locked room or cabinet. In space #1 and #

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.